


PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : G06F 17/60		A1	(11) International Publication Number: WO 99/50775														
		(43) International Publication Date: 7 October 1999 (07.10.99)															
(21) International Application Number: PCT/US99/06632		(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).															
(22) International Filing Date: 25 March 1999 (25.03.99)																	
(30) Priority Data: 09/052,200 31 March 1998 (31.03.98) US																	
(63) Related by Continuation (CON) or Continuation-in-Part (CIP) to Earlier Application US 09/052,200 (CIP) Filed on 31 March 1998 (31.03.98)																	
(71) Applicant (for all designated States except US): NET SANITY, INC. [US/US]; Suite 243, 650 Saratoga Avenue, San Jose, CA 95129 (US).		Published <i>With international search report.</i> <i>Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i>															
(72) Inventors; and (75) Inventors/Applicants (for US only): CLARKE, Fred [US/US]; 25394 La Loma Drive, Los Altos, CA 94022 (US). ELLIOTT, Dane [US/US]; 16211 Parkside Lane #167, Huntington Beach, CA 92647 (US).																	
(74) Agent: SU, Jintung; Wilson Sonsini Goodrich & Rosati, 650 Page Mill Road, Palo Alto, CA 94304-1050 (US).																	
(54) Title: METHOD FOR TARGETED ADVERTISING																	
(57) Abstract																	
<p>A method for targeted advertising is described, suitable for use with networked devices with a visual display. Advertisements are selected to be presented to a user based on a demographic and psychographic profile of the user, as well as response to previous advertisements by the user. In this way, targeted advertisements can be presented to the user on the visual display. In addition, various input devices are presented to allow the user to perform a transaction associated with the advertisement. Some of these transactions include calling the advertiser, placing an order for the advertised product or service, and requesting more information about the advertised product or service from the advertiser.</p>																	
<div style="text-align: center;"><p>Please provide the following information:</p><table border="1"><tr><td>First Name:</td><td><input type="text"/></td></tr><tr><td>Last Name:</td><td><input type="text"/></td></tr><tr><td>Home Phone Number:</td><td><input type="text"/></td></tr><tr><td>Street Address:</td><td><input type="text"/></td></tr><tr><td>City:</td><td><input type="text"/></td></tr><tr><td>State:</td><td><input type="text"/></td></tr><tr><td>Zip Code:</td><td><input type="text"/></td></tr></table><div style="display: flex; justify-content: flex-end; align-items: center; gap: 5px;"><div>Previous Screen</div><div>Next Screen</div></div></div> 				First Name:	<input type="text"/>	Last Name:	<input type="text"/>	Home Phone Number:	<input type="text"/>	Street Address:	<input type="text"/>	City:	<input type="text"/>	State:	<input type="text"/>	Zip Code:	<input type="text"/>
First Name:	<input type="text"/>																
Last Name:	<input type="text"/>																
Home Phone Number:	<input type="text"/>																
Street Address:	<input type="text"/>																
City:	<input type="text"/>																
State:	<input type="text"/>																
Zip Code:	<input type="text"/>																

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

METHOD FOR TARGETED ADVERTISING

BACKGROUND OF THE INVENTION

Field of the Invention

5 This invention relates to a method for targeted advertising. More particularly, this invention relates to a method for displaying, on a networked display with a visual display, advertisements designed specifically for each user based on a demographic and psychographic profile of the user and response to previous advertisements by the user.

Description of Related Art - Background of the Invention

10 The Internet is a popular vehicle for a wide variety of advertisement formats. One of these formats is commonly referred to as banner advertisements, or a wide billboard type advertisement which spans the width of the window or screen.

15 A primary object of advertising is to attempt to make sure that each advertisement is targeted; that is, advertisements are shown to people who are most likely to take interest in the given advertisement. Some methods download advertisements to Internet users based upon the words that a consumer enters when conducting a Web search. For example, a user might conduct a search on a search engine to find all of the Web pages that contain the word "car." When the results
20 of the Web search are delivered to the Internet user, the consumer is shown a banner advertisement relating to cars. By showing the Internet user a more targeted advertisement, a search engine can charge the advertiser a higher price for each individual viewing of the advertisement, also known as an impression. Other methods target advertisements by examining the domain address of the Internet
25 user. The domain address can be compared with a set of databases to determine the most appropriate advertisement available to show the consumer.

While some methods have managed to target Internet advertising to a loose degree, they are limited in their ability to target advertisements because they do not have important information about the demographics of the users of their websites. Several have developed applications to deal with the problems faced by advertisers in targeting Internet advertising. One of these is to provide free electronic mail, or e-mail, to Internet users who must use a particular Web page to access their e-mail. In return for free e-mail, the Internet user must fill out an online form through which the Internet user tells the free e-mail service about his or her demographics and product interests. The free e-mail service analyzes this information, and when an Internet user with a free e-mail account goes to the particular Web page to access his or her e-mail, the free e-mail service displays advertisements targeted to the preferences of the Internet user. If the Internet user sees an advertisement of interest, he or she can click on the advertisement with the mouse and their Internet browser will automatically go to the advertiser's or related web page.

Other methods use a similar model to a screen saver or ticker display. These methods first make available a free software application which can be downloaded by Internet users. The users can then customize this free software to download information from only the specific news sources he or she desires. For example, a user could request to receive specific sections of New York Times, basketball scores, and stock quotes for selected companies. Every day, the information is updated for free. To pay for this free service, a portion of the software has a window dedicated to displaying advertisements which are targeted to the preferences of the user. If the user sees an advertisement of interest, he or she can click on the advertisement with the mouse and their Internet browser will automatically go to the advertiser's or related Web page.

The drawback of the models used by free e-mail services, screen savers, ticker displays, and others are twofold. First, the amount of time an Internet user is exposed to these advertisements is limited by the time spent using the applications. In the case of free e-mail services, the user must be online and at the particular web page accessing his or her e-mail to see an advertisement. Likewise,

with screen saver or ticker display services, the individual must have downloaded and be using the specialized software to see an advertisement. Second, although the user can click on an advertisement and go to an advertiser's web page, the Internet user must go through a number of steps before a purchase or other transaction can be made. Generally, the Internet user must go through a number of web pages and fill in online forms before a purchase can be made.

Optimally, an advertisement should facilitate the purchasing process; a consumer would see an advertisement that interested him or her and simply click a button to initiate a transaction. Some progress has recently been made in the area of Internet telephony to facilitate purchases. Internet telephony is a technology that allows individuals to make telephone calls over the Internet. The advantage of Internet telephony is that the consumer no longer has to pay many of the tolls for telephone calls; long-distance calls are routed through the Internet, thereby eliminating long-distance charges. A new technology allows consumers to click on any web advertisement which is equipped with the technology and initiate an Internet telephony call.

There are several problems with this solution. First, an individual must be online and actively using the Internet at the time of the call to use it. That means the consumer must have an Internet enabled computer and also have invested in Internet telephony. Second, these advertisements face the same targeting issues faced by the solutions provided by search engines and free e-mail services. Third, there are significant performance problems with Internet telephony. Voice connections through Internet telephony have poor sound quality; this is a significant problem for advertisers trying to create a sale over the telephone. Lastly, there is no way to centrally collect information on the transactions made by Internet users. That is, there is no record of the calls made by the Internet user.

There are several other telephone related purchasing and/or auto-dialing systems that exist.

For example, in U.S. Patent No. 4,071,697, there is disclosed a complex interactive purchasing system which enables a user's television to become a

shopping terminal. The television antenna receives broadcast signals from a transmitter station including a centralized computer system, and feeds the signal through a controller which continuously modulates and decodes the radiofrequency information. From the decoded information, the controller recognizes the address of discrete blocks of information as they are received. The viewer selects the block of information which he wants to see by means of a keyboard provided on the controller. The viewer may also indicate that he/she desires to purchase a particular item displayed on the television by depressing the appropriate keys on the keyboard. The controller then generates dual tone multifrequency (DTMF) dialing tones, i.e. the "touch tone" signals heard when dialing a push-button telephone, corresponding to the store from which the item may be purchased, and feeds the signal to an associated acoustic coupler on which the handset of the user's telephone rests. In this manner, the telephone number of the appropriate store is automatically dialed.

There are several limitations imposed by this system. First, it is almost impossible to provide advertising that is specifically geared toward the buying habits and demographic profile of the given household. In order to gear the advertisements specifically to the household, the broadcaster would either need to produce a separate broadcast for each household or the broadcaster would need to constantly go into the household to reprogram the household's controller. Second, the invention is extremely expensive, in that it requires a new cradle to hold the telephone handset, a controller, and a keyboard device. Third, the household must locate the telephone near the television.

There has also been some limited utilization of a marketing system involving broadcasting DTMF signals over the television and/or radio, thereby allowing consumers to have predetermined telephone number automatically dialed merely by holding telephone next to the television or radio speaker. This system has undesirable constraints insofar as the consumer's telephone must be located close to the television and/or radio, and use of the system is limited to the specific broadcast periods. Moreover, technological problems may be created by the

simultaneous automatic dialing of a single number by, potentially, thousands of consumers.

Another invention that deals with autodialing of advertisers and the like is presented in U.S. Patent No. 4,941,172. This patent features an automatic telephone number dialing service for use with mass-distribution media products such as magazines and newspapers to enable consumers to automatically dial a preprogrammed number associated with one or more sources of goods and/or services. The dialing device includes a single chip microprocessor capable of producing DTMF tones corresponding to the preprogrammed telephone. By passing the tones through a miniature speaker or other sound transducer, the preprogrammed number will be automatically dialed. While the invention is a excellent solution in its given niche, it is not a reprogrammable solution and it is also not possible to change the display presented to the consumer on the device.

Furthermore, as opposed to attaching itself to the telephone line, the device relies on a speaker that must be placed in close proximity with the telephone handset in order for the device to work. Finally, each device has a limited life span, dictated by the life of the battery built into the unit.

There are many other interactive systems involving the automatic dialing of telephones. For example, in U.S. Patent No. 4,456,925, the patentee proposes to integrate a telephone with a standard television receiver so that repertory stored telephone numbers may be recalled for display on the television receiver screen before being automatically dialed.

This system has limitations in that it provides no mechanism for targeting the information or advertising to the user. Also, it provides no capacity for including coupon information or other information that is pertinent to the party being called in order to identify either the user or the special pretext under which a call was placed.

There is a need for a targeted advertising system which provides a mechanism for targeting the advertising to the user, and to provide the capacity for

including coupon information or other pertinent information to identify the user or the special pretext under which a call or request was placed.

5

SUMMARY OF THE INVENTION

An object of the present invention is to provide a method for targeted advertising on a networked device with a visual display.

Another object of the present invention is to provide an input device to allow the user to perform a transaction associated with the targeted advertising, such as calling the advertiser or ordering the product or service advertised.

10

Yet another object of the present invention is to provide a method for targeted advertising on a networked device with a visual display, where the targeted advertising is selected in response to a demographic and/or psychographic profile of the user.

15

Still another object of the present invention is to provide a method for targeted advertising on a networked device with a visual display, where the targeted advertising is selected according to response to previous advertisements by the user.

These and other objects are achieved in a method of selecting a presentation to be shown to a user and allowing the user to perform a transaction associated with the presentation. This method includes obtaining information associated with the user, selecting a presentation in response to the information, and providing an input device which allows the user to perform a transaction associated with the presentation.

20
25

BRIEF DESCRIPTION OF THE FIGURES

FIGURE 1A shows a typical screen phone which is capable of practicing the targeted information and advertising system of the present invention.

FIGURE 1B shows a system block diagram of the targeted information and advertising system of the present invention.

30

FIGURE 1C shows an advertisement window.

FIGURE 2A shows screen phone with a survey form displayed on screen.

FIGURES 2B-2D show examples of other survey forms for collecting additional and more detailed demographic and psychographic data about user.

5 FIGURE 3A shows a flowchart of initial interaction of user with screen phone.

FIGURE 3B shows a flowchart of call initiation and scheduling for screen phone.

10 FIGURE 3C shows a flowchart for a typical information exchange between screen phone of a new user with server.

FIGURE 3D shows a flowchart for a typical information exchange between screen phone of an established user with server.

FIGURES 4A-4D show flowcharts for Call button, Order button, Mail Info button, and Similar Offers button.

15 FIGURE 4A shows a flowchart for Call button.

FIGURE 4B shows a flowchart for Order button.

FIGURE 4C shows a flowchart for Mail Info button.

FIGURE 4D shows a flowchart for Similar Offers button.

FIGURE 5 shows a flowchart for advertisers placing an advertisement.

DETAILED DESCRIPTION OF THE INVENTION

FIGURE 1A shows a typical screen phone 100 which is capable of practicing the targeted advertising system of the present invention. Screen phone 100 may include a screen 102 with an advertisement window 200, handset 104, keyboard 106, mouse 108, and other suitable input and feedback devices. Screen 102 provides a user 130 with information and feedback, handset 104 allows user 130 to communicate by voice, keyboard 106 allows user 130 to input information, and mouse 108 allows user 130 to point at objects or use a graphical user interface.

Although screen phone 100 is shown, the present invention may also be practiced with other wired and wireless networked devices with visual displays, such as a

cellular phones, personal computers, network computers, wireless phones, pagers, and Internet set-top boxes.

FIGURE 1B shows a system block diagram of one embodiment of the targeted advertising system of the present invention. Again, screen phone 100 includes a screen 102, handset 104, keyboard 106, mouse 108, and other suitable input and feedback devices, all of which allow user 130 to interact with screen phone 100.

Screen phone 100 also includes a processor 110. Processor 110 uses a working memory 112 and an application memory 114. Application memory 114 contains application instructions 116. These applications may include a web browser, electronic mail (e-mail), live video, speed-dial directory, and other phone features such as number display and caller identification. Screen phone 100 may include a modem 118 with a dual tone multi-frequency (DTMF) chip which permits it to connect to server 120 over a standard telephone line. In alternative embodiments, screen phone 100 may use connection methods other than a modem over a standard telephone line to allow it to connect to communication networks such as wireless, cellular, or cable.

Server 120 uses a working memory 122 and an application memory 124. Application memory 124 contains instructions 126 to run server 120 and communicate with screen phone 100. Server 120 also controls a bank of advertisements 128.

FIGURE 1C shows a close-up view of advertisement window 200. User 130 may interact with advertisement window 200 via several input devices or buttons. The buttons may be implemented as on-screen touch-sensitive buttons, specific physical buttons built into screen phone 100, or other buttons on screen phone 100 corresponding to the desired functions. Alternatively, the functions of these input devices or buttons may be voice-activated. The information selected to be shown on advertisement window 200 need not be limited to advertisements, and may also be used to display other information such as local weather and local news.

Previous button 202 shows the previous advertisement. Next button 204 shows the next advertisement. Call button 206 automatically dials the number and connects user 130 with the advertiser. Order button 208 automatically orders the product or service advertised. Mail Info button 210 requests that more information
5 for the current product or service be mailed to user 130. Similar Offers button 212 shows other advertisements similar to the current advertisement.

A wide variety of other buttons may also be provided on screen phone 100.

A Go Online button would initiate the modem of the networked device, causing screen phone 100 to connect to an Internet service provider (ISP). Once connected
10 to the ISP, a web browser would automatically be opened and the appropriate web page presented on screen phone 100. A Fax Response button would send a fax to the advertiser requesting more information or placing an order for the advertised product. A Download Software button would cause screen phone 100 to download software from a remote site. An Add to Phone List button would automatically add
15 the phone number of an advertiser to a speed-dial directory on screen phone 100.

A Receive Phone Call button would ask the advertiser to make a phone call to the user. A Take Survey button would download an electronic survey that would be displayed on screen phone 100. After the survey was completed, it would be returned to the advertiser or surveyor. A Request Directions button would
20 download and display directions to an advertiser's business establishment, or the closest location if there are several. An E-Mail button would open an e-mail application and create a new e-mail automatically addressed to the advertiser. A Take Picture button would take a picture of the user on devices equipped with a camera, and send it in electronic form to the advertiser. The Take Picture button
25 could be used for personalization of products sold through screen phone 100. For example, the Take Picture button could be used to create a credit card with a photo identification.

FIGURE 2A shows screen phone 100 with a survey form 220 displayed on screen 102. Survey form 220 may be used for collecting basic information on user
30 130, including user name, address, and phone number. This basic information may

be analyzed by server 120 to determine which advertisements and information should be sent to screen phone 100. The information may also be used to determine the appropriate shipping address to use when user 130 presses Order button 208.

5 FIGURES 2B-2D show examples of other survey forms 220 for collecting additional and more detailed demographic and psychographic data about user 130, including employment status, hobbies, and interests. Survey forms 220 may make use of previous button 202, next button 204, and a finished button 214.

10 Survey forms 220 can be programmed in any language supported on screen phone 100. In a preferred embodiment, survey forms 220 are supported by hypertext markup language (HTML), Personal Java, native telephone application programming interface (API) for screen phones, or a combination of these programming languages. These languages have low memory requirements and will be widely supported by screen phones as well as other information appliances.

15 These languages and APIs are supported in application memory 114. The languages provided on any given screen phone 100 may be used to develop the client-side applications. For example, screen phone 100 may have a telephone API. This telephone API is the software that allows screen phone 100 to produce the tones required to dial phone calls and allows screen phone 100 to speed-dial

20 numbers stored in application memory 114, a feature supported by most modern push-button phones. A screen phone 100 that provides a Web browser may have HTML available on the screen phone. HTML is a standard for creating and displaying Web pages. Furthermore, many screen phone manufacturers have already committed to providing Personal Java on screen phones. Personal Java

25 may be used on these screen phones to create applications for user 130.

30 FIGURE 3A shows a flowchart for screen phone 100 performing an initial interaction with user 130. Screen phone 100 leads user 130 through survey forms 220 that gather demographic and psychographic data, which screen phone 100 stores internally and uploads at a later time to server 120. This includes: (1) checking to see if screen phone 100 is being turned on for the first time (block

302); (2) presenting survey forms 220 on screen 102 (block 304); (3) receiving demographic and psychographic information entered by user 130 (block 306); and (4) storing this information entered by user 130 (block 308). TABLE 1 shows an example of the types of demographic and psychographic information that may be collected, and how screen phone 100 may store this information in the form of a consumer information data structure. The consumer information data structure is created when a consumer first uses screen phone 100. This information is transferred to server 120 on the initial connection to server 120. Additionally, screen phone 100 may periodically check this information with the user 130 to keep it current. This updating process may also prompt user 130 for additional information in the future in order to improve the demographic and psychographic profile of user 130. Demographic and psychographic information are useful in determining the buying habits of consumer households. Often there is a correlation between the traits of a household and the types of products that household will buy.

For example, households with high incomes tend to invest more money, and sports enthusiasts are more likely to read sporting magazines. As market research exposes additional correlations between a household's demographic/psychographic profiles and buying habits, it may become necessary to update the information stored in server 120. Therefore, additional survey forms may be provided to user 130.

FIGURE 3B shows a flowchart for screen phone 100 performing call initiation and scheduling. This includes: (1) checking to see if the current time is the pre-appointed dial-in time (block 322); (2) establishing a connection with server 120 (block 324); (3) uploading an identification code associated with user 130 to server 120 (block 326). The establishment of a connection with server 120 may alternatively take place immediately after user 130 has just used screen phone 100 for the first time. Screen phone 100 may be equipped with an internal clock or other timing device. At regular intervals, the client software will check the current time. If the current time matches the dial-in time that has been preset on screen phone 100, the client-side software sends a command to application memory

114, causing screen phone 100 to dial in. Once a connection has been established with server 120, a unique identification code is provided to server 120. The identification code will be used to determine the identity of user 130 and to ensure that screen phone 100 receives the appropriate information.

5 FIGURE 3C shows a flowchart for server 120 undergoing a typical information exchange with screen phone 100 for a new user 130. This includes: (1) checking to see if information for user 130 already exists in the database to determine that user 130 is new (block 342); (2) creating a new database record for user 130 (block 344); (3) receiving and storing the demographic and psychographic
10 information from screen phone 100 (block 346); (4) creating a set of advertisements and a presentation schedule for user 130 in response to this information (block 348); and (5) downloading a set of advertisements and presentation schedule to screen phone 100 (block 350). At this time, a rewards program may also be set up, such as a frequent flyer miles program. The process
15 described in FIGURE 3C essentially creates a new account for a new user. This new account will be maintained by server 120 in the future. The demographic and psychographic information will be used to determine what advertisements and information should be sent to user 130. Furthermore, particular pieces of the demographic information, such as the name and address, will be used for shipping
20 information and products to user 130.

 TABLE 2 shows an example of how server 120 may store the demographic information received from screen phone 100 in the form of a household profile data structure. This data structure resides on server 120 and is similar to the consumer
25 information data, but there are a couple of differences. Primarily this data structure also has credit, debit, and smartcard information, received by means other than from survey forms 220. The assumption is that user 130 will not want to type that information into screen 102 and may instead call directly and provide it. TABLE 3 shows an example of a schedule data structure, which includes the priority of each advertisement as well as its content. This data structure is downloaded from
30 server 120 to screen phone 100 and is replaced every time there is an advertising

schedule update. It contains all the advertisements that are being shown on a given screen phone. The field names match up to fields discussed in some of the earlier flow charts.

FIGURE 3D shows a flowchart for server 120 undergoing a typical information exchange with screen phone 100 of an established user. This includes:
(1) checking to see if information for user 130 already exists in the database to determine that user 130 is not new (block 362); (2) receiving and storing client transaction information from screen phone 100 (block 364); (3) clearing the client transactions information from screen phone 100 (block 366); (4) creating a new set of advertisements and a schedule for user 130 in response to both previously stored and new information about user 130 (block 368); and (5) downloading the new set of advertisements and presentation schedule to screen phone 100 (block 370).

Client transaction information may include advertiser name, advertisement number, advertisement type, transaction type, and time and date of transaction. TABLE 4 shows an example of how server 120 might store client transactions in the form of a client transactions data structure. This data structure may also be stored on screen phone 100 and keeps a record of whenever user 130 makes a transaction, such as an order request, mail more info request, or send similar offers request.

Server 120 may also record all transactions in a master transactions data structure. This allows an overview of all client transactions and compilation of useful statistics, such as how often a particular advertisement was accessed. TABLE 5 shows an example of a master transactions data structure. This data structure is a record of all transactions that have happened on all screen phones supported by a particular server 120. For example, information such as the advertiser name, particular advertisement, advertisement type, transaction type, transaction result, and time and date of transaction can be stored in this type of data structure.

FIGURES 4A-4D show flowcharts for Call button 202, Order button 204, Mail Info button 206, and Similar Offers button 208. When user 130 desires to be

directly connected via voice to the advertiser, user 130 activates Call button 202.

When user 130 desires to order the products or services offered by the current advertisement, user 130 activates Order button 204. When user 130 desires more information to be mailed on the products or services offered by the current advertisement, user 130 activates Mail Info button 206. When user 130 desires to receive information or offers that are similar to the products or services offered by the current advertisement, user 130 clicks Similar Offers button 208. Each Call button advertisement will have a telephone number associated with the advertisement.

FIGURE 4A shows a flowchart for Call button 202. This includes: (1) receiving a command from Call button 202 (block 402); (2) finding the phone number associated with the advertisement (block 404); (3) dialing the phone number associated with the advertisement (block 406); and (4) creating and storing a record of the call (block 408). Call button 202 allows user 130 to establish a direct connection with the advertiser or sponsor of the advertisement, without having to remember or dial any phone numbers. When user 130 presses Call button 202, screen phone 100 will convert the number into the tones that are used to place the telephone call. Call button 202 is well suited for supporting advertisements for companies that have traditionally sold their products over the phone. For example, food delivery services would be particularly appropriate businesses to place advertisements that use Call button 202.

FIGURE 4B shows a flowchart for Order button 204. This includes: (1) receiving a command from Order button 204 (block 412); (2) requesting a password from user 130 (block 414); (3) verifying that the password entered by user 130 is valid (block 416); (4) aborting the transaction if the password entered by user 130 is invalid (block 418); (5) creating and storing a record of the request to order the product (block 420); and (6) alerting the advertiser of the request to order the product (block 422). The process of alerting the advertiser may take place immediately or at predetermined intervals. A standard format may be used for transferring these records. TABLE 6 shows an example of how server 120 may

store an order queue data structure. This data structure is used to temporarily store information that will eventually be sent to advertisers who are filling orders for user 130. Records to this data structure are created by when user 130 uses Order button 204 to order the product or service in the advertisement. This data is
5 uploaded to server 120 and stored there until sent to advertisers for fulfillment.

The process outlined for Order button 204 takes a request for an item from user 130, ensures that user 130 is authorized to use Order button 204, and then transfers that request to server 120 so that the product can be purchased and sent to user 130.

The order queue data structure may be used so that an advertiser receives all of the
10 orders requested through Order button 204 at one time, or it may be configured so that the advertiser receives a new message every time Order button 204 is pressed.

FIGURE 4C shows a flowchart for Mail Info button 206. This includes: (1) receiving a command from Mail Info button 206 (block 424); (2) creating and storing a record of the request to mail information (block 426); and (3) alerting the
15 advertiser of the request to mail more information (block 428). TABLE 7 shows an example of how server 120 may store a mail info queue data structure. This data structure is used to temporarily store information that will eventually be sent to advertisers who are mailing information to user 130. Records to this data structure are created when user 130 uses Mail Info button 206 to request more
20 information to be mailed. This data is uploaded to server 120 and stored there until sent to advertisers for fulfillment. The process outlined for Mail Info button 206 takes a request for information from user 130 and then transfers that request to server 120 so that information can be sent to user 130. The mail info queue data structure may be used so that an advertiser can receive all of the mail info requests
25 made through Mail Info button 206 at one time, or it may be configured so that the advertiser receives a new message every time Mail Info button 206 is pressed.

FIGURE 4D shows a flowchart for Similar Offers button 208. This includes: (1) receiving a command from Similar Offers button 208 (block 432); and
(2) creating and storing a record of the request for similar offers (block 434).

30 TABLE 8 shows an example of how server 120 may store a similar offers queue

data structure. This data structure temporarily stores information when user 130 uses Similar Offers button 208 to request that similar offers be advertised in the future. Advertisements currently available or placed in the future can then be targeted to a specific user 130 who has asked for similar offers. Similar Offers
5 button 208 may also be used to extend the information used in the user demographic and psychographic profile. When advertisements are scheduled, information collected from the use of Similar Offers button 208 can be used as an additional point of information when targeting advertisements.

FIGURE 5 shows a flowchart for server 120 assigning advertisements to
10 households. This includes: (1) receiving the advertisement content and advertiser criteria (block 602); (2) comparing this information to the demographic, psychographic, and past transaction information of households in the database (block 604); (3) selecting appropriate households to receive the advertisement (block 606); (4) assigning the advertisement to the selected households (block
15 608); and (5) downloading the advertisement during a next connection to screen phone 100 (block 610). Advertisements can be scheduled at different times for download to screen phone 100. TABLE 9 shows an example of how server 120 assigns advertisements to selected households in the form of an assigned advertisements data structure. This data structure has all of the advertisements for
20 all time that are assigned to a particular screen phone 100. TABLE 10 shows an example of how server 120 stores a product areas data structure. The product areas data structure assigns every advertiser and advertisement to a product or service area or category for classification. This is used when user 130 asks for similar offers to be advertised in the future. In order to maximize the value of
25 advertisements placed on screen phone 100, each advertisement is assigned to users 130 who are the most likely to act upon the given advertisement. Therefore, to select which users 130 and screen phones 100 to send advertisements to, queries are made which examine users' demographic profiles, psychographic profiles, and past transaction information. When the appropriate set of users 130 has been
30 identified, a record is made for each user 100 and screen phone 100 who should

receive the given advertisement. When screen phone 100 accesses server 120, it then searches for advertisements that have been assigned to the particular screen phone 100.

5 The foregoing description of a preferred embodiment of the invention has been presented for purposes of illustration and description. It is not intended to be exhaustive or to limit the invention to the precise forms disclosed. Obviously, many modifications and variations will be apparent to practitioners skilled in this art. It is intended that the scope of the invention be defined by the following claims and their equivalents.

10

TABLE 1: Consumer Information			
Field	Type	Length	Description
FirstName	Text	25	First name
LastName	Text	25	Last name
HomeNumber	Text	10	Home phone number
StreetAddress	Text	50	Street address
City	Text	30	City of residence
State	Text	2	State of residence
ZipCode	Text	5	Zip code
Password	Text	10	6 to 10 character password used for verifying transactions
Gender	Text	1	Male or female
YearOfBirth	Text	4	Year of birth
MaritalStatus	Text	1	Marital status (single, married, etc.)
NumberOfChildren	Integer	2	Number of children under 18 living in household
LevelOfEducation	Text	1	Highest level of education achieved (some high school, high school, 2 year college, college, etc.)
EmploymentStatus	Text	1	Employment status (full time, part time, etc.)
HouseholdIncome	Text	1	Household income with ranges (0 to 19,999, 20,000 to 30,000, etc.)
I_Computers			Interested in information/offers on computers and communications (e.g., hardware, software, peripherals, etc.)
I_Entertainment	Text	1	Interested in information/offers on entertainment (e.g., dance clubs, concerts, the arts, etc.)
I_Hobbies	Text	1	Interested in information/offers on personal hobbies (e.g., art, cooking, photography, etc.)
I_Food	Text	1	Interested in information/offers on home food delivery (e.g., pizza delivery, groceries, etc.)
I_Services	Text	1	Interested in information/offers on home services (e.g., cleaning, repair, plumbing, etc.)
I_Money	Text	1	Interested in information/offers on money and finance (e.g., investing, banking, retirement, etc.)
I_News	Text	1	Interested in information/offers on subscriptions and trial offers for newspapers and magazines
I_Sports	Text	1	Interested in information/offers on sports and fitness (e.g., health clubs, golf, skiing, etc.)
I_Leisure	Text	1	Interested in information/offers on travel and leisure (e.g., car rental, airlines, restaurants, hotels, etc.)
I_Other	Text	1	Interested in information/offers on a number of other interest areas

TABLE 2: Household Profile			
Field	Type	Length	Description
User Code	Text	20	Unique number assigned to every information appliance user
FirstName	Text	25	First name
LastName	Text	25	Last name
HomeNumber	Text	10	Home phone number
StreetAddress	Text	50	Street address
City	Text	30	City of residence
State	Text	2	State of residence
ZipCode	Text	5	Zip code
Password	Text	10	6 to 10 character password used for verifying transactions
CreditCardName	Text	50	Name of person on credit card
CreditCard	Text	3	Type of credit card (e.g., Visa, MasterCard, etc.)
CreditCardNumber	Text	16	Credit card number
CreditCardExpiration	Date	4	Date of expiration (format = mm/yy)
Gender	Text	1	Male or female
YearOfBirth	Text	4	Year of birth
MaritalStatus	Text	1	Marital status (single, married, etc.)
NumberOfChildren	Integer	2	Number of children under 18 living in household
LevelOfEducation	Text	1	Highest level of education achieved (some high school, high school, 2 year college, college, etc.)
EmploymentStatus	Text	1	Employment status (full time, part time, etc.)
HouseholdIncome	Text	1	Household income with ranges (0 to 19,999, 20,000 to 30,000, etc.)
_Computers			Interested in information/offers on computers and communications (e.g., hardware, software, peripherals, etc.)
_Entertainment	Text	1	Interested in information/offers on entertainment (e.g., dance clubs, concerts, the arts, etc.)
_Hobbies	Text	1	Interested in information/offers on personal hobbies (e.g., art, cooking, photography, etc.)
_Food	Text	1	Interested in information/offers on home food delivery (e.g., pizza delivery, groceries, etc.)
_Services	Text	1	Interested in information/offers on home services (e.g., cleaning, repair, plumbing, etc.)
_Money	Text	1	Interested in information/offers on money and finance (e.g., investing, banking, retirement, etc.)
_News	Text	1	Interested in information/offers on subscriptions and trial offers for newspapers and magazines

Field	Type	Length	Description
<input type="checkbox"/> Sports	Text	1	Interested in information/offers on sports and fitness (e.g., health clubs, golf, skiing, etc.)
<input type="checkbox"/> Leisure	Text	1	Interested in information/offers on travel and leisure (e.g., car rental, airlines, restaurants, hotels, etc.)
<input type="checkbox"/> Other	Text	1	Interested in information/offers on a number of other interest areas

TABLE 3: Schedule

Field	Type	Length	Description
A_Number	Integer	3	Advertisement number: the number of the advertisement in the list (e.g., for the first advertisement, A_Numb = 1)
Advertiser	Text	4	Advertiser name: four character code which identifies the advertiser
A_Code	Text	3	A unique code that identifies which advertisement for a given advertiser is displayed
A_Type	Text	1	Advertisement type: used to determine which transaction buttons should be enabled for a given advertisement (e.g., a particular advertisement might only need for the call button to be enabled)
A_Graphic	Text	40	Advertisement Graphic: the file name and location of the graphic image (either jpeg or bitmap) that will be placed in the "Advertisement Window"
A_Telephone	Text	10	Advertiser Telephone Number: the telephone number of the advertiser (this field only contains information if the advertisement uses the "Call" button)

TABLE 4: Client Transactions

Field	Type	Length	Description
UserCode	Text	20	Unique number assigned to every information appliance user
A_Number	Integer	3	Advertisement number: the number of the advertisement in the list (e.g., for the first advertisement, A_Numb = 1)
Advertiser	Text	4	Advertiser name: four character code which identifies the advertiser
A_Code	Text	3	A unique code that identifies which advertisement for a given advertiser is displayed
A_Type	Text	1	Advertisement type: used to determine which transaction buttons should be enabled for a given advertisement (e.g., a particular advertisement might only need for the call button to be enabled)
T_Type	Text	1	Transaction type: code which represents which type of transaction a consumer made (e.g., if the consumer places an order, a code of "O" will be placed in the field)
Time_Date	Date	12	Time/Date of Transaction: the time and date when a transaction was made

TABLE 5: Master Transactions			
Field	Type	Length	Description
UserCode	Text	20	Unique number assigned to every information appliance user
Advertiser	Text	4	Advertiser name: four character code which identifies the advertiser
A_Code	Text	3	A unique code that identifies which advertisement for a given advertiser is displayed
A_Type	Text	1	Advertisement type: used to determine which transaction buttons should be enabled for a given advertisement (e.g., a particular advertisement might only need for the call button to be enabled)
T_Type	Text	1	Transaction type: code which represents which type of transaction a consumer made (e.g., if the consumer places an order, a code of "O" will be placed in the field)
T_Result	Text	10	Transaction result: indicates whether the transaction resulted in a sale (used for transactions using the "Call" button where confirmation of the order is required by the advertiser)
Time_Date	Date	12	Time/Date of Transaction: the time and date when a transaction was made

TABLE 6: Orders Queue			
Field	Type	Length	Description
UserCode	Text	20	Unique number assigned to every information appliance user
Advertiser	Text	4	Advertiser name: four character code which identifies the advertiser
A_Code	Text	3	A unique code that identifies which advertisement for a given advertiser is displayed
A_Type	Text	1	Advertisement type: used to determine which transaction buttons should be enabled for a given advertisement (e.g., a particular advertisement might only need for the call button to be enabled)
T_Type	Text	1	Transaction type: code which represents which type of transaction a consumer made (e.g., if the consumer places an order, a code of "O" will be placed in the field)
T-Result	Text	10	Transaction result: indicates whether the transaction resulted in a sale (used for transactions using the "Call" button where confirmation of the order is required by the advertiser)
Time_Date	Date	12	Time/Date of Transaction: the time and date when a transaction was made
FirstName	Text	25	First name
LastName	Text	25	Last name
StreetAddress	Text	50	Street address
City	Text	30	City of residence
State	Text	2	State of residence
ZipCode	Text	5	Zip code
CreditCardName	Text	50	Name of person on credit card
CreditCard	Text	3	Type of credit card (e.g., Visa, MasterCard, etc.)
CreditCardNumber	Text	16	Credit card number
CreditCardExpiration	Date	4	Date of expiration (format = numyy)

TABLE 7: Mail Info Queue			
Field	Type	Length	Description
UserCode	Text	20	Unique number assigned to every information appliance user
Advertiser	Text	4	Advertiser name: four character code which identifies the advertiser
A_Code	Text	3	A unique code that identifies which advertisement for a given advertiser is displayed
A_Type	Text	1	Advertisement type: used to determine which transaction buttons should be enabled for a given advertisement (e.g., a particular advertisement might only need for the call button to be enabled)
FirstName	Text	25	First name
LastName	Text	25	Last name
StreetAddress	Text	50	Street address
City	Text	30	City of residence
State	Text	2	State of residence
ZipCode	Text	5	Zip code

TABLE 8: Similar Offers			
Field	Type	Length	Description
UserCode	Text	20	Unique number assigned to every information appliance user
Advertiser	Text	4	Advertiser name: four character code which identifies the advertiser
A_Code	Text	3	A unique code that identifies which advertisement for a given advertiser is displayed
A_Type	Text	1	Advertisement type: used to determine which transaction buttons should be enabled for a given advertisement (e.g., a particular advertisement might only need for the call button to be enabled)

TABLE 9: Assigned Advertisements			
Field	Type	Length	Description
UserCode	Text	20	Unique number assigned to every information appliance user
Advertiser	Text	4	Advertiser name: four character code which identifies the advertiser
A_Code	Text	3	A unique code that identifies which advertisement for a given advertiser is displayed
A_Type	Text	1	Advertisement type: used to determine which transaction buttons should be enabled for a given advertisement (e.g., a particular advertisement might only need for the call button to be enabled)
A_Graphic	Text	40	Advertisement Graphic: the file name and location of the graphic image (either jpeg or bitmap) that will be placed in the "Advertisement Window"
A_Telephone	Text	10	Advertiser Telephone Number: the telephone number of the advertiser (this field only contains information if the advertisement uses the "Call" button)
StartDate	Date	6	Date the advertisement is first scheduled to be displayed (format mmddyy)
EndDate	Date	6	Date the advertisement is last scheduled to be displayed (format mmddyy)

TABLE 10: Product Areas			
Field	Type	Length	Description
Advertiser	Text	4	Advertiser name: four character code which identifies the advertiser
A_Code	Text	3	A unique code that identifies which advertisement for a given advertiser is displayed
A_ProductArea	Text	50	The product area for which an advertisement belongs (e.g., an advertisement from a car dealership would have A_ProductArea = "Automobiles")

CLAIMS

1. A method of targeted advertising, comprising:
storing information associated with a user on a server, the server having
5 access a plurality of presentations;
selecting at least one presentation in response to the information, the
presentation being associated with a sponsor and a product;
displaying the presentation on a networked device with a visual display, the
networked device being connected to the server; and
10 providing an input device on the networked device which allows the user
to send a request to the server to perform a transaction associated with the
presentation, the server being capable of using the information to facilitate
completion of the transaction.
2. The method of claim 1, wherein the information includes
15 demographic and psychographic information associated with the user.
3. The method of claim 1, wherein the information includes a record
of previous transactions associated with the user.
4. The method of claim 1, wherein the networked device with a visual
display is a screen phone.
- 20 5. The method of claim 1, wherein the networked device with a visual
display is a cellular phone.
6. The method of claim 1, wherein the networked device with a visual
display is a personal computer.
7. The method of claim 1, wherein the networked device with a visual
25 display is an Internet enabled television.
8. The method of claim 1, wherein the input device is a Call button
configured to automatically call the sponsor.
9. The method of claim 1, wherein the input device is an Order button
configured to automatically place an order for the product.

10. The method of claim 1, wherein the input device is a Mail Info button configured to automatically send a request to the sponsor to mail more information about the product to the user.

11. The method of claim 1, wherein the input device is a Similar Offers button configured to automatically request other presentations associated with other products similar to the product.

12. A method of targeted advertising, comprising:
obtaining a plurality of data associated with a user;
selecting an advertisement to be shown to the user based on the data, the advertisement being associated with a product and an advertiser;
displaying the advertisement to the user on a networked device with a visual display; and

providing on the networked device an input device associated with the advertisement, the input device capable of using the plurality of data to automatically perform a transaction when the input device is activated by the user.

13. The method of claim 12, wherein the plurality of data includes demographic and psychographic information associated with the user.

14. The method of claim 12, wherein the plurality of data includes a record of previous transactions associated with the user.

15. The method of claim 12, wherein the networked device with a visual display is a screen phone.

16. The method of claim 12, wherein the networked device with a visual display is a cellular phone.

17. The method of claim 12, wherein the networked device with a visual display is a personal computer.

18. The method of claim 12, wherein the networked device with a visual display is an Internet enabled television.

19. The method of claim 12, wherein the input device is a Call button configured to automatically call the advertiser.

20. The method of claim 12, wherein the input device is an Order button configured to automatically place an order for the product.

21. The method of claim 12, wherein the input device is a Mail Info button configured to automatically send a request to the advertiser to mail more information about the product to the user.

22. The method of claim 12, wherein the input device is a Similar Offers button configured to automatically send a request for other advertisements associated with other products similar to the product shown to the user.

23. A device for targeted advertising, comprising:

a networked device having a visual display and an input device, the visual display capable of presenting an advertisement to a user, the input device capable of obtaining information associated with the user; and

a server connected to the networked device, the server capable of performing a transaction associated with the advertisement in response to the information when the input device is activated by the user, the server capable of selecting other advertisements to be presented to the user in response to the information.

24. The device of claim 23, wherein the information includes demographic and psychographic information associated with the user.

25. The device of claim 23, wherein the information includes a record of previous transactions associated with the user.

26. The device of claim 23, wherein the networked device is a screen phone.

27. The device of claim 23, wherein the networked device is a cellular phone.

28. The device of claim 23, wherein the networked device is a personal computer.

29. The device of claim 23, wherein the networked device is an Internet enabled television.

30. The device of claim 23, wherein the input device is a Call button configured to automatically call the advertiser.

31. The device of claim 23, wherein the input device is an Order button configured to automatically place an order for the product.

32. The device of claim 23, wherein the input device is a Mail Info button configured to automatically request the advertiser to mail more information about the product to the user.

5 33. The device of claim 23, wherein the input device is a Similar Offers button configured to automatically send a request to the server for other advertisements associated with other products similar to the product presented to the user.




FIG. 1A

2/14





FIG. 1B

3/14

*FIG. 1C*

4/14




FIG. 2A

SUBSTITUTE SHEET (RULE 26)

5/14

Please provide the following information:

Gender: ☐ Male ☐ Female

Year of Birth:

Marital Status:

Number of Children in Household:

Level of Education:

Employment Status:

Household Income:

FIG. 2B

Which of these product and service areas would you be interested in receiving information on:

	Yes	Maybe	No
Computers (peripherals, software...)	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
Entertainment: (concerts, movies...)	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
Hobbies (art, boating, computers...)	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
Home Food Delivery (ordering out...)	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
Home Services (cleaning, repair...)	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
Money and Finance (banking...)	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
Newspapers and Magazines	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
Sports and Fitness (aerobics, football...)	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
Travel and Leisure (airlines, resorts...)	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>

FIG. 2C

Which of these Entertainment product and service areas would you be interested in receiving information on:

	Yes	Maybe	No
Concerts	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
Dance Clubs	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
Home Entertainment	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
Local Events	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
Movies	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
Music	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
The Arts (Symphony...)	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
Theater	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>

FIG. 2D
 SUBSTITUTE SHEET (RULE 26)

214

6/14




FIG. 3A






FIG. 3B
SUBSTITUTE SHEET (RULE 26)

*FIG. 3C*

SUBSTITUTE SHEET (RULE 26)

9/14

*FIG. 3D*

SUBSTITUTE SHEET (RULE 26)

10/14






FIG. 4A


*FIG. 4B*

SUBSTITUTE SHEET (RULE 26)

12/14



13/14



14/14




FIG. 5

SUBSTITUTE SHEET (RULE 26)

INTERNATIONAL SEARCH REPORT

Inter. onal Application No
PCT/US 99/06632

A. CLASSIFICATION OF SUBJECT MATTER
IPC 6 G06F17/60

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
IPC 6 G06F H04L H04M

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 5 347 632 A (FILEPP ROBERT ET AL) 13 September 1994 (1994-09-13)	1-3,6, 12-14, 17, 23-25,28
Y	column 6, line 45-68 column 9, line 27-57 ---	4,5,15, 16,26,27
Y	US 5 657 378 A (RANDOLPH JOSEPH P ET AL) 12 August 1997 (1997-08-12) column 2, line 9 - column 3, line 29; figures 2,7 ---	4,15,26
Y	WO 97 50264 A (SAMSUNG INFORMATION SYSTEMS AM) 31 December 1997 (1997-12-31) abstract; figure 1 ---	5,16,27
	--- -/--	

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

4 August 1999

Date of mailing of the international search report

10/08/1999

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Bowler, A

INTERNATIONAL SEARCH REPORT

International Application No
PCT/US 99/06632

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	PATENT ABSTRACTS OF JAPAN vol. 096, no. 006, 28 June 1996 (1996-06-28) & JP 08 033057 A (SONY CORP), 2 February 1996 (1996-02-02) abstract; figures 6,11 ---	1,4,6,8, 9,12,15, 17,19, 20,23, 26,28, 30,31
X	WO 97 12486 A (BOSTON TECH INC) 3 April 1997 (1997-04-03) page 6, line 3 - page 10, line 21 ---	1-3,7, 12-15, 18, 23-25,29
A	US 4 941 172 A (WINEBAUM JACOB J ET AL) 10 July 1990 (1990-07-10) cited in the application abstract ---	1-33
A	US 4 456 925 A (SKERLOS PETER C ET AL) 26 June 1984 (1984-06-26) cited in the application abstract ---	1-33
A	US 4 071 697 A (BUSHNELL NOLAN K ET AL) 31 January 1978 (1978-01-31) cited in the application abstract ---	1-33
P,X	EP 0 848 528 A (AT & T CORP) 17 June 1998 (1998-06-17) column 5, line 10 - column 7, line 13 column 4, line 41-50 -----	1-9, 12-20, 23-31, 10,11, 21,22, 32,33
P,A		

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/US 99/06632

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 5347632 A	13-09-1994	US 5594910 A	14-01-1997
		US 5796967 A	18-08-1998
		US 5442771 A	15-08-1995
		US 5758072 A	26-05-1998
		CA 1337132 A	26-09-1995
		CA 1338423 A	25-06-1996
US 5657378 A	12-08-1997	AU 5389596 A	30-10-1996
		CA 2218038 A	17-10-1997
		EP 0820675 A	28-01-1998
		WO 9632800 A	17-10-1996
WO 9750264 A	31-12-1997	AU 3408197 A	14-01-1998
JP 08033057 A	02-02-1996	NONE	
WO 9712486 A	03-04-1997	AU 7246996 A	17-04-1997
		EP 0852880 A	15-07-1998
US 4941172 A	10-07-1990	US 4817135 A	28-03-1989
		CA 1282510 A	02-04-1991
		EP 0318454 A	31-05-1989
		JP 1162459 A	26-06-1989
US 4456925 A	26-06-1984	CA 1192993 A	03-09-1985
US 4071697 A	31-01-1978	DE 2746442 A	20-04-1978
EP 0848528 A	17-06-1998	US 5838775 A	17-11-1998
		JP 10214039 A	11-08-1998

THIS PAGE BLANK (USPTO)